



CUSHMAN DARBY & CUSHMAN, L.L.P.

Attorneys at Law
Since 1892

ARLON V. CUSHMAN (1892-1950)
JOHN J. DARBY (1920-1950)
WILLIAM M. CUSHMAN (1929-1964)

PAUL N. KOKULIS
RAYMOND F. LIPPITT
G. LLOYD KNIGHT
CARL G. LOVE
EDGAR H. MARTIN
WILLIAM K. WEST, JR.
KEVIN E. JOYCE
EDWARD M. PRINCE
DAVID W. BRINKMAN
GEORGE M. SIRILLA
DONALD J. BIRD
W. WARREN TALTAVULL
SUSAN T. BROWN
PETER W. GOWDEY
DALE S. LAZAR
GLENN J. PERRY
KENDREW H. COLTON
CHRIS COMUNTZIS
RICHARD L. KIRKPATRICK
LAWRENCE HARBIN
WALLACE G. WALTER
PAUL E. WHITE, JR.
SHELDON H. KLEIN
MICHELLE N. LESTER
JEFFREY A. SIMENAUER
ROBERT A. MOLAN
G. PAUL EDGELL
RAYMOND L. SWEIGART
DAVID A. JAKOPIN
MARK G. PAULSON*
LYNN E. ECCLESTON

WILLIAM P. ATKINS
JACK S. BARUFKA
BRIAN J. BEATUS
JAMES D. BERQUIST
WILLIAM H. BOLLMAN
GREGORY P. BRUMMETT
CHARLES B. CAPPELLARI*
MARLANA K. CHAPIN
MICHAEL R. DZWONCZYK
JONATHAN GENTIN
BARRY P. GOLOB
JOHN C. GORECKI*
MICHAEL W. HAAS
ADAM R. HESS
ANN S. HOBBS, PH.D.
TIMOTHY J. KLIMA
KURT W. LOCKWOOD*
TIMOTHY F. LOOMIS*
JEFFREY S. MELCHER
ANTHONY L. MIELE*
CHRISTOPHER P. MURPHY
DANTE J. PICCIANO, PH.D.
B.J. SADOFF*
EDWARD J. STEMBERGER
DAVID S. TAYLOR
RICHARD WYDEVEN

COUNSEL

HOWARD D. DOESCHER
LAWRENCE A. HYMO
ALLEN KIRKPATRICK
JOHN P. MORAN
THOMAS G. WISEMAN*

* ADMITTED IN JURISDICTIONS
OTHER THAN D.C.

December 18, 1995

Hon. Commissioner of Patents
and Trademarks
Washington, D.C. 20231

Attention: Application Branch

Re: U.S. Application of TANAKA
Serial No.: 08/522,085
Filed: 08/31/95
Group: 1809
Title: OXYGEN CONCENTRATION DETECTOR

Sir:

Enclosed is a copy of the filing receipt for this application. Please correct your records and issue a corrected filing receipt with the following correction made:

Correct the spelling of the sixth inventor's first name to: Masaya Fujimoto.

Respectfully submitted,

CUSHMAN DARBY & CUSHMAN, L.L.P.

By

G. Lloyd Knight

Reg. No. 17698

Tel. No. 202/861-3090

Encl.

#4
Receipt
1100 New York Avenue, N. W.
Ninth Floor, East Tower
Washington, DC 20005-3918
Telephone: (202) 861-3000
Telefax: (202) 822-0944
MCI-Mail: 365-4288
Internet: cdc@cushman.com
Telex: 6714627 CUSH

FILING RECEIPT



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER
OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTORNEY DOCKET NO.	DRWGS	TOT CL	IND CL
08/522,085	08/31/95	1809	\$882.00	219742/41897	12	17	5

CUSHMAN DARBY AND CUSHMAN
1100 NEW YORK AVENUE NW
NINTH FLOOR EAST TOWER
WASHINGTON DC 20005-3918

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Application Processing Division's Customer Correction Branch within 10 days of receipt. Please provide a copy of the Filing Receipt with the changes noted thereon.

Applicant(s)

AKIO TANAKA, OBU, JAPAN; NAOTO MIWA, TSUSHIMA, JAPAN;
TOSHITAKA SAITO, TOYOHASHI, JAPAN; HIROMI SANO, NAGOYA,
JAPAN; KAZUNORI SUZUKI, NAGOYA, JAPAN; NAGOYA FUJIMOTO,
KARIYA, JAPAN.

FOREIGN/PCT APPLICATIONS-JAPAN
JAPAN

06-234387
06-340136

09/01/94
12/28/94

TITLE
OXYGEN CONCENTRATION DETECTOR

PRELIMINARY CLASS: 436

